			UNITED STATES DEPAR United States Patent and Address: COMMISSIONER F P.O. Box 1450 Alexandria, Virginia 223 www.uspto.gov	Trademark Office OR PATENTS
PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/540,178	03/31/2000	Stephen R. Vogel	DIVA-244	2614
26291 7	590 07/01/2005		EXAM	INER
	TERSON & SHERIDA	NALEVANKO, CHRISTOPHER R		
595 SHREWSBURY AVE, STE 100 FIRST FLOOR			ART UNIT	PAPER NUMBER
SHREWSBURY, NJ 07702			2611	
			DATE MAILED: 07/01/200	5

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(a)			
	Application No.	Applicant(s)			
Office Action Summon	09/540,178	VOGEL ET AL.			
Office Action Summary	Examiner	Art Unit			
	Christopher R. Nalevanko	2611			
The MAILING DATE of this communication ap Period for Reply	opears on the cover sheet with th	e correspondence address			
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a replication of the period for reply specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	- .136(a). In no event, however, may a reply be ply within the statutory minimum of thirty (30) I will apply and will expire SIX (6) MONTHS fr te, cause the application to become ABANDC	e timely filed days will be considered timely. rom the mailing date of this communication. NED (35 U.S.C. § 133).			
Status		· · · · · · · · · · · · · · · · · · ·			
1) Responsive to communication(s) filed on $27$					
	is action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under	Ex parte Quayle, 1935 C.D. 11,	453 O.G. 213.			
Disposition of Claims					
<ul> <li>4) ∑ Claim(s) <u>1-14 and 26</u> is/are pending in the ap 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed.</li> <li>6) ∑ Claim(s) <u>1-14 and 26</u> is/are rejected.</li> <li>7) □ Claim(s) is/are objected to.</li> <li>8) □ Claim(s) are subject to restriction and/</li> </ul>	awn from consideration.				
9) The specification is objected to by the Examin	ier				
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.					
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct 11)					
Priority under 35 U.S.C. § 119					
<ul> <li>12) Acknowledgment is made of a claim for foreig</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documer</li> <li>2. Certified copies of the priority documer</li> <li>3. Copies of the certified copies of the pri application from the International Burea</li> <li>* See the attached detailed Office action for a list</li> </ul>	nts have been received. hts have been received in Applic ority documents have been rece au (PCT Rule 17.2(a)).	cation No eived in this National Stage			
Attachment(s)         1) □ Notice of References Cited (PTO-892)         2) □ Notice of Draftsperson's Patent Drawing Review (PTO-948)         3) ☑ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 27 Apr. 2005.	4) ☐ Interview Summ Paper No(s)/Mai 3) 5) ☐ Notice of Inform 6) ☐ Other:				

U.S. Patent and Trademark Office PTOL-326 (Rev. 1-04)

• •

## **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in

37 CFR 1.17(e), was filed in this application after allowance or after an Office action under Ex

Parte Quayle, 25 USPQ 74, 453 O.G. 213 (Comm'r Pat. 1935). Since this application is eligible

for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been

timely paid, prosecution in this application has been reopened pursuant to 37 CFR 1.114.

Applicant's submission filed on 04/27/2005 has been entered.

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all

obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

 Claims 1-10 and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Edmonds et al (6,412,079) in further view of Imanaka (EP0854610) and Sawicz et al (5,889,775).

Regarding Claim 1, Edmonds shows an apparatus having redundant provider equipment for improving fault tolerance comprising a server (fig. 5 items 214 and 218), comprising a plurality of server modules for storing content (col. 4 lines 10-37, RAID storage device), a switch coupled to each of the server modules at the head end for forwarding requested content from at least one of the plurality of server modules to the subscriber equipment (fig. 5 items 210 and 212, col. 7 lines 25-35, switches), and a plurality of head-end controllers coupled to each server module of the plurality of server modules via at least two signal paths (fig. 5 items 216 and 220, director, col. 7 lines 25-55, director for providing load balancing algorithms). Although Edmonds shows at least two signal paths between the server modules (fig. 5), Edmonds fails to specifically state that each communication between a head-end controller and a server module is coincidentally sent through the two signal paths. Imanaka shows that each communication between a server node another control module is coincidentally sent between two signal paths (fig. 1, col. 4 lines 10-20, transmission data from servers are concurrently sent to both communication lines 1 and 2). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Edmonds with the ability to coincidentally send two signals through two signal paths, as shown in Imanaka, so that the system would ensure signal reception as well as provide robust communications.

Although Edmonds shows sending digital data through switches, Edmonds and Imanaka fail to show that the switch is a video switch. Sawicz shows sending video data through a video switch in a redundant system (col. 7 lines 10-41, series and stages of video switches). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Edmonds and Imanaka with a video switch, as shown in Sawicz, to provide the users with a wide range of data types.

Regarding Claim 2, Edmonds further shows that a plurality of subscriber equipment is capable of interfacing with the at least one head-end controller and server

> for receiving information upon request (see figure 5 items 200, 202). Edmonds fails to show that this data is video data. Official Notice is taken that it is well known and expected in the art to send video data across a network. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Edmonds with the ability to send video data to provide the users with a wide range of data types.

Regarding Claim 3, Edmonds shows at least two switches coupled between the at least one head-end controller and the server modules (see figure 5 items 210, 212).

Regarding Claim 4, Imanka shows the ability to send redundant messages across a network to a server module and the ability to discard messages that have been already received (col. 5 lines 2-25, identical reception data sent, either of the data which is received later is discarded). Furthermore, these signals must travel through switches, controllers, and servers since they are being sent through a large network (see fig. 1).

Regarding Claim 5, Imanaka shows disregarding either the initial or redundant message (col. 5 lines 2-25, identical reception data sent, either of the data which is received later is discarded).

Regarding Claim 6, Imanaka further shows that multiple acknowledgement data is routed from one server module to another controller (col. 7 lines 45-67, col. 8 lines 1-26, abnormality detection process, pieces of identification information and received data and pieces of corresponding reception time information are registered in system-A queue and system-B queue). Imanaka shows disregarding either the initial or redundant message (col. 5 lines 2-25, identical reception data sent, either of the data which is received later is discarded).

Regarding Claim 7, Imanaka shows disregarding either the initial or redundant message (col. 5 lines 2-25, identical reception data sent, either of the data which is received later is discarded).

Regarding Claim 8, Edmonds shows that the switch has a plurality of I/O ports coupled to the server modules and subscriber equipment for transferring the information (see figure 5 item 210). Edmonds further shows a least two switch controllers coupled to a head-end controller (see figure 5 items 210, 212, 214, 216, 218, 220) and the I/O ports, wherein the one of two switch controllers serves as a primary switch controller for routing the information between the I/O ports, and a second switch controller serves as a secondary switch controller for monitoring status of the I/O ports, whereby the secondary switch controller initiates a switchover in a an instance of a failure (col. 7 lines 23-67, col. 8 lines 1-13, col. 2 lines 1-27, 35-50).

Regarding Claim 9, Edmonds shows that the switch controller, or director, is coupled to the head-end controller, or server, via on of the switches and the second controller is coupled to the server via second switch (see figure 5 items 210, 214, 216, col. 7 lines 25-55). Edmonds states that the Web server may provide 'system management,' which executes processes of a head-end controller (col. 7 lines 30-33). Sawicz further shows connecting the server and controllers with a number of video switches (fig. 6, col. 7 lines 7-40, three stages of video switches).

Regarding Claim 10, all the limitations of the claim have been discussed with regards to Claim 9.

Regarding Claim 26, Edmonds further shows a plurality of access controllers coupled to each head-end controller and said video switch (fig. 5 items 216, 220, directors used for client load balancing), said access controllers for forwarding said requested content from said video switch to said subscriber equipment in response to a request for content from said subscriber equipment (col. 7 lines 5-55, director providing web content through router, switch, and Web server when request by user).

Claim 11 is rejected under 35 U.S.C. 103(a) as being unpatentable over Edmonds et al (6,412,079) in further view of Imanaka (EP0854610), Sawicz et al (5,889,775), and Deitz et al (6,412,079).

Regarding Claim 11, although not specifically stated, it is nonetheless inherent that there must be a switch processor within the switch for processing control commands between the head-end controllers and switch controllers, and between the controllers and the I/O ports. This is inherent to all digitally controlled switches so that they may function properly in routing signals to a designated location. Sawicz further shows connecting the server and controllers with a number of video switches and a switching matrix (fig. 6, col. 7 lines 7-40, three stages of video switches).

Edmonds fails to show a timer for periodically querying the operational status of the controllers. Deitz shows a 'pinging' system that periodically queries controllers to see if the controllers are operational (col. 7 lines 30-50). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify Edmonds,

2.

Imanaka, and Sawicz with the ability to query the switch controllers, as shown in Dietz, so that the system would know when a switch has failed and the status of an operational switch.

3. Claims 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Edmonds et al (6,412,079) in further view of Imanaka (EP0854610), Sawicz et al (5,889,775), Deitz et al (6,412,079), and Miyamoto et al (5,845,061).

Regarding Claim 12, Deitz shows the ability to send periodic messages, or pinging, to controllers and the ability to indicate a problem when a certain time elapses. Furthermore, if these messages are periodic, it is inherent that there is some type of timer coupled to the sending apparatus (col. 6 lines 64-67, col. 7 lines 30-50). Also, although not specifically stated, it is inherent that the system must have a control registers to receive and store commands from the switch controller. Without this equipment, the system would not route signals properly or execute commands correctly. Edmonds and Deitz fail to show a plurality of status registers. Miyamoto shows status registers that store the state of the system controllers to indicate whether or not that section of the system is operational or has failed (col. 11 lines 15-60). It would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the system of Edmonds, Imanaka, Sawicz, and Deitz with the status registers so that the system would be able to store the condition of the system for reference.

Dietz and Miyamoto also fail to show the use of a memory table for storing routing addresses. Official Notice is taken that it is well known and expected in the art to use tables to store the routing addresses of components in a network. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to include memory tables so that the system would know the proper destination to send messages.

Regarding Claim 13, Miyamoto further shows pinging, or polling messages, to the system for information (col. 11 lines 1-14). Furthermore, it is inherent that there are control registers storing information about the system. Miyamoto further shows setting status registers with the appropriate information regarding the operational status of the system. Also, Miyamoto shows that if the status of the system is "occurrence of fault" then a back up system initiates (col. 11 lines 1-67, col. 12 lines 1-67). It is also inherent that the status of the system is stored as bits.

Regarding Claim 14, Miyamoto further shows polling messages to the system for information (col. 11 lines 1-14). Furthermore, it is inherent that there are control registers storing information about the system. Miyamoto further shows setting status registers with the appropriate information regarding the operational status of the system. Also, Miyamoto shows that if the status of the system is "occurrence of fault" then a back up system initiates (col. 11 lines 1-67, col. 12 lines 1-67). It is also inherent that the status of the system is stored as bits. Deitz also shows registering an error if an elapsed time has occurred between polling messages (col. 6 lines 64-67).

### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher R. Nalevanko whose telephone number is 571-272-7299. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chris Grant can be reached on 571-272-7294. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Christopher Nalevanko AU 2611 571-272-7299

cn

CHRIS GRANT PRIMARY EXAMINER